

---

# CONTENTS

---

<b>Contributors</b>	<b>xvii</b>
<b>Chapter One AERODYNAMICS</b>	<b>1</b>
<b>CHAPTER Background</b> . . . . .	<b>2</b>
<b>DESIGN OF A HIGH ALTITUDE LONG ENDURANCE     FLYING-WING SOLAR-POWERED UNMANNED AIR VEHICLE</b>	
<i>A. A. Alsahlani, L. J. Johnston, and P. A. Atcliffe</i> . . . . .	<b>3</b>
1 Introduction . . . . .	<b>4</b>
2 Methodology . . . . .	<b>4</b>
3 Aerodynamic Analysis . . . . .	<b>5</b>
4 Structure Analysis . . . . .	<b>10</b>
5 Stability of Flying-Wing Aircraft . . . . .	<b>12</b>
6 Preconceptual Design . . . . .	<b>14</b>
7 Optimization . . . . .	<b>18</b>
8 Optimization Results . . . . .	<b>20</b>
9 Concluding Remarks . . . . .	<b>22</b>
Acknowledgments . . . . .	<b>22</b>
References . . . . .	<b>22</b>
<b>STARTING OF GENERIC INLET WITH BLUNTED WEDGES</b>	
<i>V. Borovoy, V. Mosharov, V. Radchenko, A. Skuratov,         and I. Struminskaya</i> . . . . .	<b>25</b>
1 Introduction . . . . .	<b>25</b>
2 Test Model Configuration and Flow Conditions . . . . .	<b>26</b>
3 Experimental Methods . . . . .	<b>27</b>
4 Starting of a Convergent Channel . . . . .	<b>28</b>
5 Flow Patterns . . . . .	<b>31</b>
6 Experimental Data. Flow Structure and Heat Transfer . . . . .	<b>32</b>
7 Influence of Wedge Bluntness on the Inlet Blockage . . . . .	<b>37</b>
8 Concluding Remarks . . . . .	<b>40</b>
Acknowledgments . . . . .	<b>41</b>
References . . . . .	<b>41</b>
	<b>ix</b>

COMPUTATIONAL FLUID DYNAMICS CHALLENGES  
FOR HYBRID AIR VEHICLE APPLICATIONS

<i>M. Carrión, M. Biava, R. Steijl, G. N. Barakos, and D. Stewart</i>	43
1 Introduction . . . . .	43
2 Numerical Method . . . . .	46
3 Mesh Generation . . . . .	50
4 Results and Discussion . . . . .	51
5 Concluding Remarks . . . . .	76
Acknowledgments . . . . .	77
References . . . . .	78

AERODYNAMIC SIMULATION STRATEGIES ASSESSMENT  
FOR A FENESTRON® IN HOVER FLIGHT

<i>M. Marino, N. Gourdain, G. Legras, and D. Alfano</i>	81
Abbreviations . . . . .	81
Nomenclature . . . . .	82
1 Introduction . . . . .	82
2 Study Case . . . . .	84
3 Meshing Strategy for Fenestron® Issues . . . . .	86
4 Numerical Parameters . . . . .	94
5 Analysis of the Flow at the Blade Tip Region . . . . .	100
6 Concluding Remarks . . . . .	103
References . . . . .	104

ICE ACCRETION SIMULATIONS ON AIRFOILS

<i>S. Özgen, N. Uğur, İ. Görgülü, and V. Tatar</i>	107
1 Introduction . . . . .	107
2 Methodology . . . . .	109
3 Results and Discussion . . . . .	113
4 Concluding Remarks . . . . .	124
References . . . . .	125

UNCONVENTIONAL TAIL CONFIGURATIONS  
FOR TRANSPORT AIRCRAFT

<i>A. Sánchez-Carmona, C. Cuerno-Rejado, and L. García-Hernández</i>	127
Nomenclature . . . . .	127
1 Introduction . . . . .	129
2 Reference Aircraft . . . . .	130
3 Methodology . . . . .	131
4 Results . . . . .	140
5 Concluding Remarks and Future Works . . . . .	146
Acknowledgments . . . . .	147
References . . . . .	147

WAVE DRAG REDUCTION WITH A SELF-ALIGNING AERODISK ON A MISSILE CONFIGURATION	
<i>C. Schnepf, O. Wysocki, and E. Schülein</i> . . . . .	149
1 Introduction . . . . .	149
2 Computational Geometry and Computational Grid . . . . .	153
3 Numerical Approach . . . . .	155
4 Results and Discussion . . . . .	158
5 Concluding Remarks . . . . .	169
References . . . . .	170
IN-FLIGHT ICING ON UNMANNED AERIAL VEHICLE AND ITS AERODYNAMIC PENALTIES	
<i>K. Szilder and W. Yuan</i> . . . . .	173
1 Introduction . . . . .	173
2 Numerical Module Description . . . . .	174
3 Model Results and Discussion . . . . .	176
4 Concluding Remarks . . . . .	187
References . . . . .	188
COMPARISON OF VARIOUS SPRING ANALOGY RELATED MESH DEFORMATION TECHNIQUES IN TWO-DIMENSIONAL AIRFOIL DESIGN OPTIMIZATION	
<i>Y. Yang and S. Özgen</i> . . . . .	189
Nomenclature . . . . .	189
1 Introduction . . . . .	190
2 Spring Analogy Mesh Deformation . . . . .	191
3 Mesh Deformation Results . . . . .	195
4 Shape Parameterization and Optimization . . . . .	197
5 Results . . . . .	199
6 Concluding Remarks . . . . .	202
References . . . . .	203
<b>Chapter Two EXPERIMENTAL METHODS</b>	<b>205</b>
<b>CHAPTER Background</b> . . . . .	<b>206</b>
RECENT PROGRESS OF LASER METROLOGY IN CHEMICALLY REACTING FLOWS AT ONERA	
<i>A. Mohamed, N. Dorval, G. Vilmart, M. Orain, R. George, M. Scherman, M. Nafa, A. Bresson, B. Attal-Tretout, and M. Lefebvre</i> . . . . .	207
1 Introduction . . . . .	207
2 Laser Absorption Spectroscopy . . . . .	209
3 Recent Progress in Laser Induced Fluorescence Imaging for Combustion Diagnostics . . . . .	215

4	Coherent Anti-Stokes Raman Spectroscopy with Femto/Picosecond Lasers . . . . .	223
5	Concluding Remarks . . . . .	226
	Acknowledgments . . . . .	227
	References . . . . .	227
STUDY ON BREAKUP OF LIQUID LIGAMENTS IN HYPERSONIC CROSS FLOW USING LASER SHEET IMAGING AND INFRARED LIGHT EXTINCTION SPECTROSCOPY		
	<i>T. Regert, I. Horvath, J.-M. Buchlin, D. Masutti, O. Chazot, M. R. Vetrano, C. Lapebie, and C. Le Gallic . . . . .</i>	229
1	Introduction . . . . .	229
2	Facility and Model . . . . .	232
3	Description of the Phenomenon . . . . .	233
4	Laser Sheet Visualization of the Water Jet in Hypersonic Cross Flow . . . . .	236
5	Infrared Light Extinction Spectroscopy Measurements . . . . .	242
6	Concluding Remarks . . . . .	249
	References . . . . .	250
<b>Chapter Three FLOW CONTROL</b>		<b>251</b>
	<b>CHAPTER Background . . . . .</b>	<b>252</b>
SIMPLE DESIGN OF MULTIPLE AERODYNAMIC PLASMA ACTUATOR		
	<i>S. L. Chernyshev, M. D. Gamirullin, A. P. Kuryachii, and V. M. Litvinov . . . . .</i>	253
1	Introduction . . . . .	253
2	Proposed Design of Multiple Dielectric Barrier Discharge Actuator . . . . .	254
3	Experimental Equipment and Methods . . . . .	256
4	Measurements of the Induced Flow Velocity . . . . .	258
5	Simple Method of the Consumed Electric Power Measurement . . . . .	260
6	Limitations of Multiple Dielectric Barrier Discharge Actuator Miniaturization . . . . .	261
7	Concluding Remarks . . . . .	263
	References . . . . .	263
TANGENTIAL INJECTION TO A SUPERSONIC FLOW ON A BLUNTED NOSE		
	<i>P. V. Chuvakhov, I. V. Egorov, I. V. Ezhov, I. V. Novikov, and E. B. Vasilevskiy . . . . .</i>	265
1	Introduction . . . . .	265
2	Experimental Equipment . . . . .	267

3	Numerical Problem Formulation and Solution Method . . .	270
4	Results of Investigations . . . . .	273
5	Concluding Remarks . . . . .	280
	Acknowledgments . . . . .	280
	References . . . . .	281
STABILIZING A BLASIUS BOUNDARY LAYER WITH DIELECTRIC BARRIER DISCHARGE PLASMA ACTUATION: EXPERIMENTAL CHARACTERIZATION		
	<i>N. Szulga, O. Vermeersch, M. Forte, and G. Casalis</i> . . . . .	283
1	Introduction . . . . .	283
2	Experimental Setup . . . . .	284
3	Baseline Flow . . . . .	285
4	Measurements Outside the Plasma Extent . . . . .	288
5	Measurements Inside the Plasma Extent . . . . .	291
6	Concluding Remarks and Outlook . . . . .	295
	Acknowledgments . . . . .	297
	References . . . . .	297
<b>Chapter Four</b>	<b>NONEQUILIBRIUM AND RAREFIED FLOWS</b>	<b>299</b>
	<b>CHAPTER Background</b> . . . . .	<b>300</b>
A GAS KINETIC SCHEME FOR HYBRID SIMULATION OF PARTIALLY RAREFIED FLOWS		
	<i>S. Colonia, R. Steijl, and G. Barakos</i> . . . . .	301
	Nomenclature . . . . .	301
	Acronyms . . . . .	302
1	Introduction . . . . .	303
2	Multiphysics Code . . . . .	304
3	Flow Models and Numerical Schemes . . . . .	308
4	Results and Discussion . . . . .	316
5	Concluding Remarks . . . . .	323
	Acknowledgments . . . . .	324
	References . . . . .	324
HEAT FLUX AND DIFFUSION VELOCITIES BEHIND SHOCK WAVE: STATE-TO-STATE APPROACH		
	<i>O. Kunova, E. Kustova, M. Mekhonoshina, and E. Nagnibeda</i> . . . . .	327
1	Introduction . . . . .	327
2	Kinetics Behind the Shock Wave . . . . .	328
3	Diffusion and Heat Flux . . . . .	329
4	Results . . . . .	330
5	Concluding Remarks . . . . .	333

Acknowledgments . . . . .	333
References . . . . .	334
CHARACTERIZATION OF WEAKLY IONIZED ARGON FLOWS FOR RADIO BLACKOUT MITIGATION EXPERIMENTS	
<i>L. Steffens, U. Koch, B. Esser, and A. Gülhan</i> . . . . .	335
1 Introduction . . . . .	335
2 Arc Heated Facility L2K . . . . .	337
3 Flow Characterization Methods . . . . .	337
4 Argon Flow Conditions for Blackout Mitigation Tests at L2K	342
5 Communication Blackout Experiments . . . . .	344
6 Concluding Remarks . . . . .	347
References . . . . .	347
PARAMETRIC STUDY ON PROPULSION PERFORMANCE OF MICROTUBES	
<i>Ch. Tantos and D. Valougeorgis</i> . . . . .	349
1 Introduction . . . . .	349
2 Flow Configuration and Basic Parameters . . . . .	350
3 Kinetic Modeling . . . . .	352
4 Results and Discussion . . . . .	354
5 Concluding Remarks . . . . .	360
References . . . . .	361
<b>Chapter Five SHOCK WAVES</b>	<b>363</b>
<b>CHAPTER Background</b> . . . . .	364
EXPERIMENTAL ANALYSIS OF THE SHOCK DYNAMICS ON A TRANSONIC LAMINAR AIRFOIL	
<i>V. Brion, J. Dandois, J.-C. Abart, and P. Paillart</i> . . . . .	365
1 Introduction . . . . .	365
2 Experiment . . . . .	367
3 Results . . . . .	373
4 Discussion . . . . .	379
5 Concluding Remarks . . . . .	384
Acknowledgments . . . . .	385
References . . . . .	385
DEVELOPMENT AND ACCELERATION OF UNSTRUCTURED MESH-BASED CFD SOLVER	
<i>V. Emelyanov, A. Karpenko, and K. Volkov</i> . . . . .	387
1 Introduction . . . . .	387
2 Governing Equations . . . . .	389
3 Numerical Method . . . . .	391
4 Preconditioning . . . . .	393

5	Multigrid Method . . . . .	393
6	Parallel Implementation . . . . .	395
7	Test Cases . . . . .	397
8	Concluding Remarks . . . . .	405
	Acknowledgments . . . . .	406
	References . . . . .	406
SIMULATION OF HYPERSONIC SHOCK WAVE–LAMINAR BOUNDARY LAYER INTERACTIONS		
	<i>N. Kianvashrad and D. Knight</i> . . . . .	409
1	Introduction . . . . .	409
2	Description of Experiment . . . . .	410
3	Methodology . . . . .	411
4	Results . . . . .	412
5	Concluding Remarks . . . . .	419
	Acknowledgments . . . . .	419
	References . . . . .	419
<b>Chapter Six</b>	<b>STABILITY, TRANSITION, AND TURBULENCE</b>	<b>421</b>
	<b>CHAPTER Background</b> . . . . .	422
INFLUENCE OF SPATIAL EFFECTS ON COHERENT STRUCTURES FORMATION IN A SUPERSONIC FLOW NEAR A PLATE		
	<i>I. I. Lipatov and R. Ya. Tugazakov</i> . . . . .	423
1	Introduction . . . . .	423
2	Problem Formulation . . . . .	424
3	Results of Calculations of the Shock Wave Reflection . . . . .	425
4	Results of Calculations for the Travelling Wave Influence . . . . .	427
5	The Analysis of Dependence of Amplification of Pressure Pulsations on the Wavelength . . . . .	431
6	Concluding Remarks . . . . .	433
	Acknowledgments . . . . .	433
	References . . . . .	433
EVOLUTION OF A WAVE PACKET TO TURBULENT SPOT IN A BOUNDARY LAYER AT HIGH SPEEDS		
	<i>P. A. Polivanov, Yu. V. Gromiko, D. A. Bountin, A. A. Sidorenko, and A. A. Maslov</i> . . . . .	435
1	Introduction . . . . .	435
2	Wind Tunnel Experiments . . . . .	436
3	Concluding Remarks . . . . .	448
	Acknowledgments . . . . .	450
	References . . . . .	450

INVESTIGATION ON THE WAKE FLOW INSTABILITY BEHIND  
ISOLATED ROUGHNESS ELEMENTS ON THE FOREBODY  
OF A BLUNT GENERIC REENTRY CAPSULE

<i>A. Theiss and S. Hein</i> . . . . .	451
1 Introduction . . . . .	451
2 Governing Equations . . . . .	453
3 Numerical Methods . . . . .	455
4 Validation . . . . .	461
5 Results . . . . .	462
6 Concluding Remarks . . . . .	477
Acknowledgments . . . . .	477
References . . . . .	478

A TURBULENCE MODEL TAKING INTO ACCOUNT  
THE LONGITUDINAL FLOW INHOMOGENEITY  
IN MIXING LAYERS AND JETS

<i>A. I. Troshin</i> . . . . .	481
1 Introduction . . . . .	481
2 SSG/LRR- $\omega$ Model Performance in Free Turbulent Flows	482
3 Coefficients Calibration Using Temporal Mixing Layer Data	485
4 Taking into Account the Longitudinal Flow Inhomogeneity	487
5 Complete Reynolds Equation System Computations . . . . .	490
6 Concluding Remarks . . . . .	494
Acknowledgments . . . . .	495
References . . . . .	495

FREE TRANSITION ON A SLENDER CONE IN A QUIET  
AND A CONVENTIONAL WIND TUNNEL AND THE EFFECT  
OF ULTRASONICALLY ABSORPTIVE MATERIALS

<i>S. Willems, A. Gülhan, C. A. C. Ward, and S. P. Schneider</i> . . . . .	497
1 Introduction . . . . .	497
2 Experimental Setup . . . . .	499
3 Results . . . . .	504
4 Summary . . . . .	512
References . . . . .	515

**Author Index**

**517**